

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2706	(726/21,26,30).CQLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/11/09 22:35
L2	3011	(713/166,193).CQLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/11/09 22:35
L3	4561	(711/162,163).CQLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/11/09 22:36
L4	430	(710/261,269).CQLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/11/09 22:36
L5	1350	arm.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/11/09 22:37
L6	10278	L1 or L2 or L3 or L4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/11/09 22:41
L7	8	L6 (exception)same (vector)near(table).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/11/09 22:42
L8	3	L5 (exception)same (vector)near(table).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/11/09 22:42
L9	38	L6 (secure)same(non \$secure or insecure) same(mode).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/11/09 22:43
L10	16	L6 (secure)same(non \$secure or insecure) same(mode).clm. (exception or handl\$4). clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/11/09 22:43
L11	124	L6 (secure)same(non \$secure or insecure) same(mode)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/11/09 22:43

L12	25	L11 (exception)same (vector)near(table)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/11/09 22:44
L13	44	L7 or L9 or L12	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/11/09 22:44
L14	11	L13 ((exception)same (vector or table)).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/11/09 22:44
L15	7	L14 (secure or mode) same(non\$secure or insecure)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/11/09 22:45
L16	10	"7165135".pn. "7237081".pn. "6363463".pn. "5561788".pn. "7171539".pn. "7117284".pn. "7305712".pn. "20040139346".pn. "20040153672".pn. "20030126520".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/11/09 22:55
L17	7	L16 (exception)same (vector)near(table)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/11/09 22:55
L18	8	L16(secure)same(non \$secure or insecure) same(mode)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/11/09 22:55
L19	6	L17 L18	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/11/09 22:55
L20	9	10/714519	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/11/09 22:57
L21	50	L13 or L16	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/11/09 22:59
L23	39	L21 (monitor\$4)same (mode or state)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/11/09 22:59

L24	21	L21 (monitor\$4)same (mode or state).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/11/09 22:59
L25	15	L21 (flush\$4 or eras\$4 or bank)same(memory or buffer or register or storage or table).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/11/09 23:01
L26	8	L24 L25	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/11/09 23:01
L27	28	L24 or L25	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/11/09 23:01
L28	8	26(exception)same (vector)near(table)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/11/09 23:01
L29	8	L26 (secure)same(non \$secure or insecure) same(mode)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/11/09 23:02
L30	8	L28 L29	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/11/09 23:02
L31	20	L21 (monitor\$4)same (mode).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/11/09 23:02
L32	20	L31(secure)same(non \$secure or insecure) same(mode)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/11/09 23:02
L33	1	(US-7120771-\$).did.	USPAT	AND	ON	2008/11/09 23:03
L34	1	L33 (flush\$4 or eras\$4 or bank)same(memory or buffer or register or storage or table)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/11/09 23:04
L35	1	(US-20030126520-\$).did.	US-PGPUB	AND	ON	2008/11/09 23:08
L36	1	(US-7165135-\$).did.	USPAT	AND	ON	2008/11/09 23:08
L37	2	L33 or L34 or L35	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/11/09 23:08

L38	3	L33 or L36 or L35	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/11/09 23:09
L39	379982	L38 (PLD or programmable)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/11/09 23:09
L40	0	L38 (PLD or programmable)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/11/09 23:09
L41	2	L38 (PLD or programmable or configuration)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/11/09 23:10
L42	15	L32 (PLD or programmable)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/11/09 23:11
L43	53401	(programmable)same (configuration)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/11/09 23:12
L44	25	L21(programmable) same(configuration)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/11/09 23:13
L45	23	L21(programmable or PLD)same (configuration)near (data or program)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/11/09 23:13
L46	831	(programmable)same (configuration or vector) near (data or program or table).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/11/09 23:21
L47	12	L46 (secure)same(non \$secure or insecure) same(mode or vector)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/11/09 23:21
L48	1	L46 (exception)same (vector)near(table)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/11/09 23:22
L49	1	L47 (exception)(vector)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/11/09 23:24
L50	1	(US-20030031235-\$). did.	US-PGPUB	AND	ON	2008/11/09 23:31

L51	4	L38 or L50	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/11/09 23:31
L52	2	L51 (monitor\$4) same (mode or state)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/11/09 23:32
L53	1	L51 (monitor\$4) near (mode or state)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/11/09 23:32
L54	2	L51 (monitor\$4)(mode or state)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/11/09 23:33
L55	4	L51 (mode)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/11/09 23:33
L56	3	L51 (mode) same (switch \$4 or monitor\$4 or secure)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2008/11/09 23:34

11/ 10/ 2008 12:00:39 AM

C:\Documents and Settings\sabedin\My Documents\EAST\Workspaces\10514834.wsp